

Notice of Allowability

Application No.

09/677,509

Examiner

Twyler M. Lamb

Applicant(s)

KANEKO ET AL.

Art Unit

2622

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to Amendment filed on 1/7/05.
2. ☒ The allowed claim(s) is/are 1-6, 10-14, 16, 22, 24, 30 and 32.
3. ☒ The drawings filed on 02 October 2000 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).


* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____


Twyler M. Lamb
Primary Examiner
Art Unit: 2622

DETAILED ACTION

Response to Arguments

1. Applicant's arguments, see Amendment, filed 1/7/05, with respect to claims 1-6, 10-14, 16, 22, 24, 30 and 32 have been fully considered and are persuasive. The rejections of 1-6, 10-14, 16, 22, 24, 30 and 32 have been withdrawn.

Reasons for Allowance

2. Claims 1-6, 10-14, 16, 22, 24, 30 and 32 are allowed over the prior art of record. Claims 11-14, 16, 1-6, 22, 24, 10, 30 and 32 are renumbered as 1-16 respectively.

3. The prior art does not teach "serial output unit adapted to output the image data read by said image reading unit in a serial form; and a plurality of parallel output units adapted to output the image data read by said image reading unit a plurality of types of parallel forms" as stated in independent claims 11, 22 and 30; nor does the prior art teach "a dummy clock generating unit adapted to generate a dummy clock signal when said image reading unit reads a reference image" as stated in independent claim 16.


4. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably **accompany** the issue fee. Such submissions should be clearly labeled Comments on Statement of Reasons for Allowance.

Art Unit: 2622

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Twyler M. Lamb whose telephone number is 571-272-7406. The examiner can normally be reached on Mon, Tues and Thurs 6:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward L. Coles can be reached on 571-272-7402. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Twyler M. Lamb
Primary Examiner
Art Unit 2622